

BELNET®

CA383 BELNET CAT6 PATCH CORD 15M BLUE





24K Gold Plated with Trident Chip

The 8P8C Connector use trident chips can connect the wire perfectly,
with 24K Gold-plated enhance the stable transmission



7*0.21mm Oxygen Free Cooper

The conductor inside the cable was made up of 7*0.21mm oxygen free cooper, which keep the transmission faster, stable, longer, also reduce the loss and hard to be oxygenated.



Humanization Design

When you plug the cable , the soft clip can reduce the press and protect your finger ,which is convenient for you .



Use injection technology

The plug and cable can fix firmly

Use high density PC material and injection technology,the plug and cable are more stable,which can be plug more than 2000 times.



Product parameters

Brand: BELNET (百纳腾)

Name: CAT6 UTP Engineering Ethernet cable

Model No: GCTXU6EY

Class: Category 6

Structure : 4 twisted pair

Conductor : 23AWG OFC

Insulation : Cross bone

Transmission : 1000Mbps

Bandwidth: 250Mhz

Connector Type: RJ45

Test: Pass Fluke Test

Low frequency compressive strength: 2.5kVdc-2sec

DC Loop resistance : 19ohm/100m

Unbalance DC resistance value : $\leq 2\%$

Insulation resistance : 500 MOhm-km@100-500Vt

Unbalanced capacitance: 1600pF/km

