

BELNET®


CA390 BELNET CAT6A 305M PER ROLL

CAT6A oxygen-free copper shielded cable

- Passed FLUKE test
- Shield structure
- 0.58 MM bold wire core
- 10-Gigabit high-speed stable transmission




BELNET strives to do every detail, give you a professional CAT6A shielded cable.



10Gbps transmission rate, transmission bandwidth up to 600Mhz. Game without delay, download faster .



Passed FLUKE test






Using high-purity oxygen-free copper, bolded wire core reaches 23AWG(0.58MM), Oxygen-free copper core reduces electrical impedance, transmission attenuation is small. Oxygen-free copper has the characteristics of anti-oxidation and anti-corrosion, can prolong the service life of the wire.



Using aluminum shielding layer, to prevent external signal interference, reduce signal attenuation, effectively improve the transmission efficiency .



Product parameters

Brand : BELNET

Name : CAT6A 305M cable

Specification : FTP CAT6A 23AWG 4P

Color : grey

Cable structure : Environmental PVC jacket + Imported PE endothelium

+ Oxygen-free copper wire core .

Wire core : 0.58MM oxygen-free copper wire cre

Length : 305M (1000ft) / roll

Weight : 19KG

Dimension : 40x24cm

Material : OFC+PVC

Transmission rate : 10Gbps

