KA189 HDMI TO HDMI V2.1 8K60HZ 3METER – KAMEHA



Features

- Enables transmission of High Dynamic Range (HDR) video
- Bandwidth up to 48 Gbps
- Supports resolution 4K@50/60, 4K@100/120, 8K@50/60, 8K@100/120
- Total power output up to 118W
- Supports DTS Master, DTS:X, Dolby True HD, Dolby Atoms, Dolby Vision and more
- ALLM – Auto Low Latency Mode
- eARC – Enhanced Audio Return Channel
- QFT – Quick Frame Transport
- QMS – Quick Media Switching
- VRR – Variable Refresh Rate


KAMEHA
8K UHD
HDMI 2.1
48Gbps
8K @ 60Hz
ULTRA HD
DYNAMIC
HDR
High Dynamic Range
3D
48bit
Deep Color
eARC
Audio Return Channel
7.1
SURROUND SOUND
ETHERNET
VRR
ALLM


8K UHD
HDMI 2.1
48Gbps
KAMEHA



KAMEHA

			HDMI 1.0-1.1	HDMI 1.2-1.2a	HDMI 1.3-1.4b	HDMI 2.0-2.0b	HDMI KABEL PREMIUM SERIE 8K
720p	1280 x 720	30 Hz	■	■	■	■	■
		60 Hz	■	■	■	■	■
		120 Hz	X	■	■	■	■
1080p	1920 x 1080	30 Hz	■	■	■	■	■
		60 Hz	■	■	■	■	■
		120 Hz	X	X	■	■	■
		144 Hz	X	X	■	■	■
		240 Hz	X	X	4:2:0	■	■
1440p	2560 x 1440	30 Hz	X	■	■	■	■
		60 Hz	X	X	■	■	■
		75 Hz	X	X	■	■	■
		120 Hz	X	X	4:2:2	■	■
		144 Hz	X	X	4:2:0	■	■
		240 Hz	X	X	X	4:2:0	■
4K	3840 x 2160	30 Hz	X	X	■	■	■
		60 Hz	X	X	4:2:0	■	■
		75 Hz	X	X	4:2:0	4:2:2	■
		120 Hz	X	X	X	4:2:0	■
		144 Hz	X	X	X	X	■
		240 Hz	X	X	X	X	DSC
5K	5120 x 2880	30 Hz	X	X	4:2:2	■	■
		60 Hz	X	X	X	4:2:0	■
		120 Hz	X	X	X	X	DSC
8K	7680 x 4320	30 Hz	X	X	X	4:2:0	■
		60 Hz	X	X	X	X	DSC
		120 Hz	X	X	X	X	DSC