

**BELNET®**

**CA488 BELNET CAT6 PATCH CORD 40M BLUE**





## 24K Gold Plated with Trident Chip

The 8P8C Connector use trident chips can connect the wire perfectly,  
with 24K Gold-plated enhance the stable transmission



## 7\*0.21mm Oxygen Free Cooper

The conductor inside the cable was made up of 7\*.021mm oxygen free cooper,which keep the transmission faster , stable, longer, also reduce the loss and hard to be oxygenated.



## Humanization Design

When you plug the cable , the soft clip can reduce the press and protect your finger ,which is convenient for you .



## Use injection technology

### The plug and cable can fix firmly

Use high density PC material and injection technology,the plug and cable are more stable,which can be plug more than 2000 times.



## Product parameters

Brand: BELNET (百纳腾)

Name: CAT6 UTP Engineering Ethernet cable

Model No: GCTXU6EY

Class: Category 6

Structure : 4 twisted pair

Conductor : 23AWG OFC

Insulation : Cross bone

Transmission : 1000Mbps

Bandwidth: 250Mhz

Connector Type: RJ45

Test: Pass Fluke Test

Low frequency compressive strength: 2.5kVdc-2sec

DC Loop resistance : 19ohm/100m

Unbalance DC resistance value :  $\leq 2\%$

Insulation resistance : 500 MOhm-km@100-500Vt

Unbalanced capacitance: 1600pF/km

