



KA041PRO-W RX HDMI EXTENDER 100M WITH IR WALL PLATE – RECEIVER



Introduction

HDMI wall plate extender is as wall plug type extender. It is made up of a sender and a receiver separately fixed on wall and can transmit up to 100meters via cat6 cable. IR pass back is built in to allow controlling source device at the end of display.


Features

1. It is made up of a sender panel and a receiver panel.
2. Use Cat5/5E/6 for long distance transmission.
3. Transmit 100 meters via Cat 6 cable 1080p@60Hz.
4. Support IR remote control.
5. One-to-many connection can be built via switcher.
6. One more HDMI loop output in the sender.
7. Attractive wall plate design.

Specification


Items	Specifications
HDMI signal	Compatible with HDCP
Support resolutions	480i@60Hz, 480p@60Hz, 576i@50Hz, 576p@50Hz, 720p@50/60Hz, 1080i@50/60Hz, 1080p@50/60Hz
Support audio	PCM (48kHz, 44.1kHz)
Network Cable	Cat5, UTP/STP Cat5e/6
Transmission distance	Up to 100meters transmission distance for 1080p@60Hz CAT5: ≤80M CAT5E: ≤100M CAT6: ≤100M
IR remote control	Support 20~60kHz wide frequency IR remote control
Working temperature	0°C ~60°C
Power supply	AC 110-240V
Power consumption	TX: 3.5W RX: 3W
Panel material	PC+ABS fireproof material
Product dimension	86(W) x 86(D) x 37(H) mm*2pcs
Weight	TX: 110g RX: 107g
Color	White

Panel Description




Connection


One to One Connection



One to Many Connection



KA041PRO, KA041PRO LOOP TX, KA041PRO-W, can be mixed and match as all sharing same transmission protocol.



Product dimension

